#### STATEMENT OF BASIS

as required by LAC 33:IX.3109, for draft Louisiana Pollutant Discharge Elimination System Permit No. LA0123561; Al 154023; PER20080001 to discharge to waters of the State of Louisiana as per LAC 33:IX.2311.

The permitting authority for the Louisiana Pollutant Discharge Elimination System (LPDES) is:

Louisiana Department of Environmental Quality

Office of Environmental Services

P. O. Box 4313

Baton Rouge, Louisiana 70821-4313

THE APPLICANT IS:

Ascension Wastewater Treatment, Inc.

Keystone Subdivision

17188 Airline Highway, Suite M-157

Prairieville, LA 70769

II. PREPARED BY:

Rachel Davis

**DATE PREPARED:** 

January 22, 2010

III. PERMIT ACTION:

Issue LPDES permit <u>LA0123561</u>, AI <u>154023</u>; <u>PER20080001</u>

LPDES application received: July 25, 2008

Previous Permit: LAG570451

LPDES general permit issued: April 11, 2008 LPDES general permit expires: March 14, 2009

The estimated flow is increasing from 0.034 MGD to 0.105 MGD. Because the estimated flow is greater than 0.10 MGD, the facility is no longer eligible for coverage under the Class IV sanitary general permit. Therefore, upon issuance of this permit, the previously issued general

permit, LAG570451, will be terminated.

#### IV. FACILITY INFORMATION:

- A. The application is for the discharge of treated sanitary wastewater from a privately owned treatment works serving the Keystone Subdivision.
- B. The permit application does not indicate the receipt of industrial wastewater.
- C. The facility is located on Hwy 933 approx. 0.70 miles east of Hwy 932 in Galvez, Ascension Parish.
- D. The treatment facility consists of an extended aeration sewage treatment plant with chlorination.

### E. Outfall 001

Discharge Location:

Latitude 30° 18' 5" North Longitude 90° 53' 27" West

Description:

treated sanitary wastewater

Expected Flow:

264 of homes x 400 gallons/day/home = 0.105 MGD

Statement of Basis <u>LA0123561</u>; Al <u>154023</u>; <u>PER20070001</u> Page 2

> Calculations for gallons per day were based upon figures obtained from Chapter 15 of the State of Louisiana Sanitary Code, Department of Health and Hospitals, Office of Public Health.

Type of Flow Measurement which the facility is currently using: V-notch Weir/Continous Recorder

# V. RECEIVING WATERS:

The discharge is into Henderson Bayou, thence into the Amite River in segment 040302 of the Lake Pontchartrain Basin. This segment is listed on the 303(d) list of impaired waterbodies.

The designated uses and degree of support for Segment 040302 of the Lake Pontchartrain Basin are as indicated in the table below  $^{1/2}$ :

Degree of Support of Each Use						
Primary Contact Recreation	Secondary Contact Recreation	Propagation of Fish & Wildlife	Outstanding Natural Resource Water	Drinking Water Supply	Shell fish Propagation	Agriculture
Not Supported	Full	Not Supported	N/A	N/A	N/A	N/A

<sup>&</sup>lt;sup>17</sup>The designated uses and degree of support for Segment 040302 of the Lake Pontchartrain Basin are as indicated in LAC 33:IX.1123.C.3, Table (3) and the 2006 Water Quality Management Plan, Water Quality Inventory Integrated Report, Appendix A, respectively.

# VI. <u>ENDANGERED SPECIES</u>:

The receiving waterbody, Subsegment 040302 of the Lake Ponchartrain Basin, has been identified by the U.S. Fish and Wildlife Service (FWLS) as habitat for the Gulf sturgeon. Alabama heelsplitter, and the West Indian manatee which is listed federally as a threatened species. However, this type of discharge is not listed in Section II 2 of the Implementation Strategy as requiring consultation with the U.S. Fish and Wildlife Service (FWS). Therefore, in accordance with the Memorandum of Understanding between the LDEQ and the FWS, no further informal (Section 7, Endangered Species Act) consultation is required. It was determined that the issuance of the LPDES permit is not likely to have an adverse effect on any endangered or candidate species or the critical habitat. The effluent limitations established in the permit ensure protection of aquatic life and maintenance of the receiving water as aquatic habitat.

## VII. HISTORIC SITES:

The discharge is from an existing facility location, which does not include an expansion beyond the existing perimeter. Therefore, there should be no potential effect to sites or properties on or eligible for listing on the National Register of Historic Places, and in accordance with the 'Memorandum of Understanding for the Protection of Historic Properties in Louisiana Regarding LPDES Permits' no consultation with the Louisiana State Historic Preservation Officer is required

LA0123561; AI 154023; PER20070001

Page 3

# VIII. PUBLIC NOTICE:

Upon publication of the public notice, a public comment period shall begin on the date of publication and last for at least 30 days thereafter. During this period, any interested persons may submit written comments on the draft permit and may request a public hearing to clarify issues involved in the permit decision at this Office's address on the first page of the statement of basis. A request for a public hearing shall be in writing and shall state the nature of the issues proposed to be raised in the hearing.

Public notice published in:

Local newspaper of general circulation

Office of Environmental Services Public Notice Mailing List

For additional information, contact:

Ms. Rachel Davis
Water Permits Division
Department of Environmental Quality
Office of Environmental Services
P. O. Box 4313
Baton Rouge, Louisiana 70821-4313

# IX. PROPOSED PERMIT LIMITS:

#### **Final Effluent Limits:**

Subsegment 040302, Amite River-La Hwy. 37 to Amite River Diversion Canal, is listed on LDEQ's Final 2006 303(d) List as impaired for mercury and pathogen indicators. To date no TMDLs have been completed for this waterbody. A reopener clause will be established in the permit to allow for the requirement of more stringent effluent limitations and requirements as imposed by a TMDL.

### Mercury

Based on the size and nature of the facility, the department believes there is little potential for the discharge to cause or contribute to the mercury impairment of this subsegment. Therefore, no limitations for mercury will be required of this facility.

### Pathogen Indicators

To protect the receiving waterbody against high levels of pathogenic organisms, fecal coliform limitations have been established in the general permit.

#### **OUTFALL 001**

Final limits shall become effective on the effective date of the permit and expire on the expiration date of the permit.

Effluent Characteristic	Monthly Avg (lbs./day)	* Monthly Avg	Weekly Avg	Basis:
BOD₅	8.8	10 mg/l	15 mg/l	Limits are set in accordance with the Lake Pontchartrain Basin Segment 0402 Areawide Policy for facilities of this treatment type and size.

LA0123561; AI 154023; PER20070001

Page 4

Effluent Characteristic	Monthly Avg. (Ibs:/day)	Monthly Avg	Weekly Avg.	Basis
TSS	13.1	15 mg/l	23 mg/l	Since there is no numeric water quality criterion for TSS, and in accordance with the current Water Quality Management Plan, the TSS effluent limitations shall be based on a case-by-case evaluation of the treatment technology being utilized at a facility. Therefore, a Technology Based Limit has been established through Best Professional Judgement for the type of treatment technology utilized at this facility.

<sup>\*</sup>Concentration limits are used in accordance with LAC 33:IX.2709 F.1.b which states that mass limitations are not necessary when applicable standards and limitations are expressed in other units of measurement. LAC 33:IX.709.B references LAC 33:IX.711 which express BOD<sub>5</sub> and TSS in terms of concentration.

#### Other Effluent Limitations:

#### 1) Fecal Coliform

The discharge from this facility is into a water body which has a designated use of Primary Contact Recreation. According to LAC 33:IX.1113.C.5 the fecal coliform standards for this water body are 200/100 ml and 400/100 ml. Therefore, the limits of 200/100 ml (Monthly Average) and 400/100 ml (Daily Maximum) are proposed as Fecal Coliform limits in the permit. These limits are being proposed through Best Professional Judgement in order to ensure that the water body standards are not exceeded, and due to the fact that existing facilities have demonstrated an ability to comply with these limitations using present available technology.

### 2) pH

The pH shall not be less than 6.0 standard units nor greater than 9.0 standard units at any time. (Limits as established through BPJ considering BCT for similar waste streams in accordance with LAC 33 IX.5905.C)

### 3) Solids and Foam

There shall be no discharge of floating solids or visible foam in other than trace amounts in accordance with LAC 33:IX.1113.B.7.

### X. PREVIOUS PERMITS:

LPDES Permit No. LAG570451: Issued: April 11, 2008

Expired: March 14, 2009

LA0123561; AI 154023; PER20070001

Page 5

Effluent Characteristic	Discharge L	imitations	Monitoring Requirements	
	Daily Avg.	Daily Max.	Measurement	Sample
Frequency	Туре			
Flow	Report	Report	Continuous	Recorder
BOD₅	10 mg/l	15 mg/l	2/month	Grab
TSS	15 mg/l	23 mg/l	2/month	Grab
Fecal Coliform Colonies	200	400	2/month	Grab

### XI. ENFORCEMENT AND SURVEILLANCE ACTIONS:

### A) Inspections

A review of the files indicates that no inspections have been conducted at this facility

## B) Compliance and/or Administrative Orders

#### LDEQ Issuance:

Docket #: WE-CN-09-0306 Date Issued: January 6, 2010

Order:

- Take any and all steps necessary to meet and maintain compliance with the permit limitations
- 2. properly maintain facility
- 3. adhere to the schedule of activities associated with it sewer rehabilitation project

### C) DMR Review

A review of the discharge monitoring reports indicates that no violations have been recorded for this facility.

## XII. <u>ADDITIONAL INFORMATION:</u>

The Louisiana Department of Environmental Quality (LDEQ) reserves the right to modify or revoke and reissue this permit based upon any changes to established TMDL's for this discharge, or to accommodate for pollutant trading provisions in approved TMDL watersheds as requested by the permittee and/or as necessary to achieve compliance with water quality standards. Therefore, prior to upgrading or expanding this facility, the permittee should contact the Department to determine the status of the work being done to establish future effluent limitations and additional permit conditions.

This permit may be modified, or alternatively, revoked and reissued, to comply with any applicable effluent standard or limitations issued or approved under sections 301(b)(2)(C) and (D); 304(b)(2); and 307(a)(2) of the Clean Water Act or more stringent discharge limitations and/or additional restrictions in the future to maintain the water quality integrity and the designated uses of the receiving water bodies based upon additional water quality studies and/or TMDL's, if the effluent standard, limitations, water quality studies or TMDL's so issued or approved

- a) Contains different conditions or is otherwise more stringent than any effluent limitation in the permit; or
- b) Controls any pollutant not limited in the permit; or
- c) Requires reassessment due to change in 303(d) status of waterbody; or
- d) Incorporates the results of any total maximum daily load allocation, which may be approved for the receiving water body.

Statement of Basis LA0123561; Al 154023; PER20070001 Page 6

Please be aware that the Department has the authority to reduce monitoring frequencies when a permittee demonstrates two or more consecutive years of permit compliance. Monitoring frequencies established in LPDES permits are based on a number of factors, including but not limited to, the size of the discharge, the type of wastewater being discharged, the specific operations at the facility, past compliance history, similar facilities and best professional judgment of the reviewer. We encourage and invite each permittee to institute positive measures to ensure continued compliance with the LPDES permit, thereby qualifying for reduced monitoring frequencies upon permit reissuance. If the Department can be of any assistance in this area, please do not hesitate to contact us. As a reminder, the Department will also consider an increase in monitoring frequency upon permit reissuance when the permittee demonstrates continued non-compliance.

Final effluent loadings (i.e. lbs/day) have been established based upon the permit limit concentrations and the design capacity of 0.105 MGD.

Effluent loadings are calculated using the following example.

BOD:  $8.34 \text{ lb/gal} \times 0.105 \text{ MGD} \times 10 \text{ mg/l} = 8.8 \text{ lb/day}$ 

At present, the Monitoring Requirements, Sample Types, and Frequency of Sampling as shown in the permit are standard for facilities of flows between 0.1 and 0.5 MGD.

Monitoring Requirements	
Measurement	Sample
Frequency	Туре
Continuous	Recorder
2/month	Grab
2/month	Grab
2/month	Grab
2/month .	Grab
	Measurement Frequency Continuous 2/month 2/month

### XIII. TENTATIVE DETERMINATION:

On the basis of preliminary staff review, the Department of Environmental Quality has made a tentative determination to revoke and reissue a permit for the discharge described in this Statement of Basis.

### XIV. REFERENCES:

Louisiana Water Quality Management Plan / Continuing Planning Process, Vol. 8, "Wasteload Allocations / Total Maximum Daily Loads and Effluent Limitations Policy," Louisiana Department of Environmental Quality, 2005.

Louisiana Water Quality Management Plan / Continuing Planning Process, Vol. 5, "Water Quality Inventory Section 305(b) Report," Louisiana Department of Environmental Quality, 1998.

Louisiana Administrative Code, Title 33 - Environmental Quality, Part IX - Water Quality Regulations, Chapter 11 - "Louisiana Surface Water Quality Standards," Louisiana Department of Environmental Quality, 2004.

Louisiana Administrative Code, Title 33 - Environmental Quality, Part IX - Water Quality Regulations, Subpart 2 - "The LPDES Program," Louisiana Department of Environmental Quality, 2004.

<u>Low-Flow Characteristics of Louisiana Streams</u>, Water Resources Technical Report No. 22, United States Department of the Interior, Geological Survey, 1980.

LA0123561; AI 154023; PER20070001

Page 7

Index to Surface Water Data in Louisiana, Water Resources Basic Records Report No. 17, United States Department of the Interior, Geological Survey, 1989.

<u>LPDES Permit Application to Discharge Wastewater</u>, Ascension Wastewater Treatment, Inc, Keystone Subdivision, July 25, 2008.